


REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



FLAT LAYOUT IS 7.119" LONG

-9


NOTES

1. FIRST DIMENSION IS METRIC,
SECOND IN BRACKETS IS INCHES.

DRAWN BY: PERRITT		<div><div>RB</div>RED BARN MACHINE</div>	
APPROVED			
HEAT TREAT			
FINISH SPEC --			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		TITLE	
TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1		RUBBER PADDING	
FRACTIONS ± 1/32 ANGLES ± 5°		DWG NO.	8816027002-9
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		REV	
SCALE		NTS	DATE 4-28-06
			SHEET 6 of 6

PART #	QTY	DESCRIPTION	USED ON MODEL
-9	1	RUBBER .125" x 7.119" x 3.5"	?

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED





NOTES

- FIRST DIMENSION IS METRIC,
SECOND IN BRACKETS IS INCHES.

			DRAWN BY: PERRITT		<div><div>RB</div>RED BARN MACHINE</div>			
			APPROVED					
			HEAT TREAT		TITLE			
			FINISH SPEC					
			USED ON MODEL		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1			
?								
PART #			QTY	DESCRIPTION	DWG NO.		REV	
-7			4	1/8" KEYSTOCK x 7/8" LONG	8816027002-7			
					SCALE NTS		DATE 4-28-06	SHEET 5 of 6

DRAWN BY: PERRITT	
APPROVED	
HEAT TREAT	
FINISH SPEC	
--	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED




-5

NOTES

- FIRST DIMENSION IS METRIC, SECOND IN BRACKETS IS INCHES.
- MACHINE PART BEFORE NORMALIZING.

			DRAWN BY: PERRITT		<div><div>RB</div>RED BARN MACHINE</div>						
			APPROVED								
			HEAT TREAT		TITLE						
			FINISH SPEC								
			--								
			USED ON MODEL		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES						
			?								
					TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1						
					UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING						
PART #	QTY	DESCRIPTION			DWG NO.		8816027002-5		REV		
-5	1	DOM Ø5-1/2" O.D. x 1/2" WALL x 3-3/4" LONG TUBE			SCALE		NTS	DATE	4-28-06	SHEET	4 of 6

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



-3

NOTES


1. FIRST DIMENSION IS METRIC,
SECOND IN BRACKETS IS INCHES.

DRAWN BY: PERRITT		<div><div>RB</div>RED BARN MACHINE</div>	
APPROVED			
HEAT TREAT			
FINISH SPEC --			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		TITLE GUSSET	
TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1			
FRACTIONS ± 1/32 ANGLES ± 5°		DWG NO. 8816027002-3	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		REV	
SCALE NTS		DATE 4-28-06	
		SHEET 3 of 6	

PART #	QTY	DESCRIPTION	USED ON MODEL
-3	2	1018 1-1/4" x 3/16" x 1-1/8" FLAT BAR	?

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON:	
DECIMALS	FRACTIONS ± 1/32
.XXX ± .005	ANGLES ± 5°
.XX ± .01	
.X ± .1	
UNLESS OTHERWISE SPECIFIED	
1. BREAK ALL SHARP EDGES	
.015 x 45° PR .015 R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



NOTES

- FIRST DIMENSION IS METRIC,
SECOND IN BRACKETS IS INCHES.


USED ON MODEL
?

PART #	QTY	DESCRIPTION
-1	1	1018 1-3/4" x 3/8" x 6-3/4" FLAT BAR

DRAWN BY:	PERRITT
APPROVED	
HEAT TREAT	
FINISH SPEC	--
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	

RB RED BARN MACHINE	
TITLE SUPPORT PLATE	
DWG NO. 8816027002-1	REV
SCALE NTS	DATE 4-28-06
SHEET 2 of 6	

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



NOTES

- FIRST DIMENSION IS METRIC,
SECOND IN BRACKETS IS INCHES.

PART #	QTY	DESCRIPTION
-1	1	SUPPORT PLATE SEE PAGE 2
-3	2	GUSSET SEE PAGE 3
-5	1	HALF PIPE SEE PAGE 4
-7	4	STIFFENER SEE PAGE 5
-9	1	RUBBER LINER SEE PAGE 6

USED ON MODEL


?

DRAWN BY:	PERRITT
APPROVED	
HEAT TREAT	
FINISH SPEC	NICKEL PLATE
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON:	
.XXX ± .005	FRACTIONS ± 1/32
.XX ± .01	ANGLES ± .5°
.X ± .1	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	

RED BARN MACHINE	
TITLE	
MOTOR SUPPORT MNT. ASSEM.	
DWG NO.	8816027002
SCALE	NTS
DATE	4-28-06
SHEET	1 of 6

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ON:
FRACTIONS ± 1/32
DECIMALS ± .005
ANGLES ± .5°
HOLE DRILLING ± .01
MATERIALS ± .1

UNLESS OTHERWISE SPECIFIED
BREAK ALL SHARP EDGES
R.015 x 45° PR .015 R
ADDITIONAL LIMITS APPLY AFTER PLATING

				RED BARN MACHINE			
TITLE				TITLE			
DWG NO.				PT #			
SCALE		NTS		DATE		2-17-06	
				SHEET		1 of 3	

NOT APPROVED FOR PRODUCTION

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED

PART #	QTY	DESCRIPTION
-1	1	4140 3/16 x 1 1/2 x 4

USED ON MODEL ? 	DRAWN BY: PERRITT	RB RED BARN MACHINE	
	CHECKED	TITLE	
	HEAT TREAT FINISH SPEC	TITLE	
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	DWG NO. PART #	
	UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	SCALE NTS	DATE 1-28-06 SHEET 1 of 1